

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	111	access near1 control with object adj oriented	US-PGPUB; USPAT; EPO	OR	ON	2005/06/22 17:52
S2	49	(*5357573" "6134659" "6226747" "6226747" "5828831" "6253193" "6363488" "6389402" "6427140" "6067622" "6141488" "4858036" "4980782" "5452460" "5878210" "6023763" "6101606" "6314409" "6343280" "6901236" "4866769" "5495411" "5548645" "5638513" "6681015" "6073123" "5905505" "5935246" "5940504" "5983352" "6069953" "6243813" "6889209" "5568180" "5583941" "6199116" "6769075" "6865655" "4445177" "4455602" "4460970" "4464716" "4480306" "4493025" "4493024" "4493023" "4593353" "4633406" "4584641" "5748575").pn.	USPAT	OR	ON	2005/06/22 16:47
S3	0	S2 and access near1 control with object adj oriented	US-PGPUB; USPAT; EPO	OR	ON	2005/06/22 16:48
S4	0	S2 and bject adj oriented	US-PGPUB; USPAT; EPO	OR	ON	2005/06/22 16:48
S5	106	(protect\$4 secure\$4) near3 access near1 control with object	US-PGPUB; USPAT; EPO	OR	ON	2005/06/22 19:03
S6	0	(protect\$4 secure\$4) near3 access near1 control with object.ti.	US-PGPUB; USPAT; EPO	OR	ON	2005/06/22 17:53
S7	2	(protect\$4 secure\$4) near3 access near1 control with object adj oriented	US-PGPUB; USPAT; EPO	OR	ON	2005/06/22 17:55
S8	0	("2002/0138727").URPN.	USPAT	OR	ON	2005/06/22 17:55
S9	18	("5787427").URPN.	USPAT	OR	ON	2005/06/22 18:00
S10	4	("6412070").URPN.	USPAT	OR	ON	2005/06/22 18:03

S11	7	713/167.ccls. and (protect\$4 secure\$4) near3 access near1 control with object	US-PGPUB; USPAT; EPO	OR	ON	2005/06/22 19:04
S12	1	"6044373".pn.	USPAT	OR	OFF	2008/04/14 13:25
S13	2	"6044373".pn.	USPAT; DERWENT	OR	OFF	2008/04/15 12:31
S14	98	(DUTTA near RABINDRANATH RAMAMOORTHY near KARTHIKEYAN).in.	USPAT	OR	OFF	2008/04/15 13:53
S15	52578	(IBM International adj Business Adj Machines).as.	USPAT	OR	OFF	2008/04/15 13:53
S16	52579	S14 S15	USPAT	OR	OFF	2008/04/15 13:53
S17	0	S16 and ((invocat\$4 call\$4) near2 (object-oriented object adj oriented) adj method with (authoriz\$4 authenticat\$4) adj (process method module)).CLM.	USPAT	OR	OFF	2008/04/15 13:59
S18	0	S16 and ((invocat\$4 call\$4) near2 (object-oriented object adj oriented) adj method with (authoriz\$4 authenticat\$4) adj (process method module)).CLM.	USPAT	OR	ON	2008/04/15 13:59
S19	0	S16 and ((invocat\$4 call\$4) near2 (object-oriented object adj oriented) adj (method module construct) with (authoriz\$4 authenticat\$4) adj (process method module)).CLM.	USPAT	OR	ON	2008/04/15 14:00
S20	0	S16 and ((invocat\$4 call\$4) near2 (object-oriented object adj oriented) adj (method module construct) AND (authoriz\$4 authenticat\$4) adj (process method module)).CLM.	USPAT	OR	ON	2008/04/15 14:00
S21	1	"6816595".pn.	USPAT	OR	OFF	2008/04/21 12:50
S22	112	(DUTTA near RABINDRANATH RAMAMOORTHY near KARTHIKEYAN).in.	USPAT	OR	OFF	2009/02/09 13:14
S23	56483	(IBM International adj Business Adj Machines).as.	USPAT	OR	OFF	2009/02/09 13:14
S24	56484	S22 S23	USPAT	OR	OFF	2009/02/09 13:14

S25	0	S24 and ((invocat\$4 call\$4) near2 (object-oriented object adj oriented) adj (method module construct) AND (authoriz\$4 authenticat\$4) adj (process method module)).CLM.	USPAT	OR	ON	2009/02/09 13:14
S26	0	S24 and ((invocat\$4 call\$4) near2 (oriented) adj (method module construct) AND (authoriz\$4 authenticat\$4) adj (process method module)).CLM.	USPAT	OR	ON	2009/02/09 13:15
S27	0	S24 and ((invocat\$4 call\$4) near2 (oriented) adj (method module construct) AND (authoriz\$4 authenticat\$4)).CLM.	USPAT	OR	ON	2009/02/09 13:15
S28	21	S24 and ((oriented) and (method module construct) AND (authoriz\$4 authenticat\$4)).CLM.	USPAT	OR	ON	2009/02/09 13:16
S29	0	"200020138727"	US-PGPUB; USPAT	OR	OFF	2009/02/09 14:01
S30	1	"20020138727"	US-PGPUB; USPAT	OR	OFF	2009/02/09 14:02
S31	9	("2002/0138727").URPN.	USPAT	OR	OFF	2009/02/09 14:02
S32	13800	(protect\$4 secure\$4) near3 (module component method class) with object	US-PGPUB; USPAT; EPO	OR	ON	2009/02/10 10:41
S33	34	(protect\$4 secure\$4) near3 (module component method class) with object-oriented	US-PGPUB; USPAT; EPO	OR	ON	2009/02/10 10:42
S34	17	("6044373").URPN.	USPAT	OR	OFF	2009/02/10 10:45
S35	1	("7107538").URPN.	USPAT	OR	OFF	2009/02/10 10:47
S36	476	(invoc\$4 call\$4) with (protect\$4 secure\$4) with (module component method class) with object	US-PGPUB; USPAT; EPO	OR	ON	2009/02/10 12:24
S37	273	(invoc\$4 call\$4) with (protect\$4 secure\$4) with (module component method class) with object and (@ad< "20010326" @pd< "20010326" @prad< "20010326" @rlad< "20010326")	US-PGPUB; USPAT; EPO	OR	ON	2009/02/10 12:26

S38	4	((invok\$4 call\$4) with (protect \$4 secure\$4) with (module component method class) with object-oriented and (@ad< "20010326" @pd< "20010326" @prad< "20010326" @rlad< "20010326"))	US-PGPUB; USPAT; EPO	OR	ON	2009/02/10 12:27
S39	1	((invok\$4 call\$4) with (protect \$4 secure\$4) with (module component method class) with object-oriented and (authoriza\$4 authenticat\$4) and (@ad< "20010326" @pd< "20010326" @prad< "20010326" @rlad< "20010326"))	US-PGPUB; USPAT; EPO	OR	ON	2009/02/10 12:29
S40	1	((invok\$4 call\$4) with (protect \$4 secure\$4) with (module component method class) with object-oriented and (authorizat\$4 authenticat\$4) and (@ad< "20010326" @pd< "20010326" @prad< "20010326" @rlad< "20010326"))	US-PGPUB; USPAT; EPO	OR	ON	2009/02/10 12:29
S41	2588	717/136-167.cls. and (@ad< "20010326" @pd< "20010326" @prad< "20010326" @rlad< "20010326"))	USPAT	OR	OFF	2009/02/10 12:36
S46	36	(authorize\$4 authenticate\$4 permit\$4) with (invocat\$4 invok\$4 call\$4) with (method module component class construct) with (oriented) and (@ad< "20010326" @pd< "20010326" @prad< "20010326" @rlad< "20010326"))	US-PGPUB; USPAT; EPO	OR	ON	2009/02/10 15:09
S47	2	("6918126").URPN.	USPAT	OR	OFF	2009/02/10 15:13
S48	2	(authorize\$4 authenticate\$4) with (invocat\$4 invok\$4 call\$4) with (method module component class construct object) with (oriented) and (@ad< "20010326" @pd< "20010326" @prad< "20010326" @rlad< "20010326"))	US-PGPUB; USPAT; EPO	OR	ON	2009/02/10 15:36
S49	2	("6918126").URPN.	USPAT	OR	OFF	2009/02/10 15:37

S50	1253	(authorize\$4 authenticate\$4) with (protected authenticated authorized) near3 (method module component class construct object) and (oriented) and (@ad< "20010326" @pd< "20010326" @prad< "20010326" @rlad< "20010326")	US-PGPUB; USPAT; EPO	OR	ON	2009/02/10 17:03
S51	203	(authorize\$4 authenticate\$4) with (protected authenticated authorized) adj (method module component class construct object) and (oriented) and (@ad< "20010326" @pd< "20010326" @prad< "20010326" @rlad< "20010326")	US-PGPUB; USPAT; EPO	OR	ON	2009/02/10 17:04
S52	1	(authorize\$4 authenticate\$4) with (protected authenticated authorized) adj (method module component class construct object) with (oriented) and (@ad< "20010326" @pd< "20010326" @prad< "20010326" @rlad< "20010326")	US-PGPUB; USPAT; EPO	OR	ON	2009/02/10 17:04
S53	6	(protected authenticated authorized) adj (method module component class construct object) with (oriented) and (@ad< "20010326" @pd< "20010326" @prad< "20010326" @rlad< "20010326")	US-PGPUB; USPAT; EPO	OR	ON	2009/02/10 17:04
S54	18	(protected authenticated authorized) adj (method module component class construct object) same (oriented) and (@ad< "20010326" @pd< "20010326" @prad< "20010326" @rlad< "20010326")	US-PGPUB; USPAT; EPO	OR	ON	2009/02/10 17:10

S55	0	{authenticated authorized} adj (restrict\$4 limit\$4 control \$4) adj (method module component class construct object) same (oriented) and {@ad< "20010326" @pd< "20010326" @prad< "20010326" @rlad< "20010326")	US-PGPUB; USPAT; EPO	OR	ON	2009/02/10 17:29
S56	2	{authenticated\$4 authori\$5) adj (restrict\$4 limit\$4 control\$4) adj (method module component class construct object) same (oriented) and {@ad< "20010326" @pd< "20010326" @prad< "20010326" @rlad< "20010326")	US-PGPUB; USPAT; EPO	OR	ON	2009/02/10 17:30
S57	3	{authenticated\$4 authori\$5) adj (restrict\$4 limit\$4 control\$4) near5 (method module component class construct object) same (oriented) and {@ad< "20010326" @pd< "20010326" @prad< "20010326" @rlad< "20010326")	US-PGPUB; USPAT; EPO	OR	ON	2009/02/10 17:33
S58	3	{authenticated\$4 authori\$5) adj (restrict\$4 limit\$4 control\$4) same (method module component class construct object) same (oriented) and {@ad< "20010326" @pd< "20010326" @prad< "20010326" @rlad< "20010326")	US-PGPUB; USPAT; EPO	OR	ON	2009/02/10 17:35
S59	40	{authenticated\$4 authori\$5) same (restrict\$4 limit\$5 control\$4 protect\$4) adj (method module component class construct object) same (oriented) and {@ad< "20010326" @pd< "20010326" @prad< "20010326" @rlad< "20010326")	US-PGPUB; USPAT; EPO	OR	ON	2009/02/10 17:36
S60	0	{(class method) adj level adj (authenticated\$4 authorizat\$4) with (protected secured) adj (method class) and {@ad< "20010326" @pd< "20010326" @prad< "20010326" @rlad< "20010326")	USPAT	OR	OFF	2009/02/10 17:47

S61	0	(class method) adj level adj (authenticat\$4 authorizat\$4) same (protected secured) adj (method class) and (@ad< "20010326" @pd< "20010326" @prad< "20010326" @riad< "20010326")	USPAT	OR	OFF	2009/02/10 17:48
S62	0	(class method) adj level adj (authenticat\$4 authorizat\$4) and (@ad< "20010326" @pd< "20010326" @prad< "20010326" @riad< "20010326")	USPAT	OR	OFF	2009/02/10 17:48
S63	0	(class method) adj level adj (authenticat\$4 authorizat\$4)	USPAT	OR	OFF	2009/02/10 17:48
S64	0	(class method) adj level adj (authenticat\$4 authorizat\$4)	USPAT	OR	ON	2009/02/10 17:49
S65	1	(class method) adj level adj (authenticat\$4 authorizat\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2009/02/10 17:49
S66	10	(class method) adj level adj5 (authenticat\$4 authorizat\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2009/02/10 17:49

2/17/2009 6:18:55 AM

C:\Documents and Settings\szia\My Documents\EAST\Workspaces\09817102.wsp